## NOTIFICATION.

No. C. 1224, dated Bangalore, 3rd December 1951.

Ordered that the accompanying Notification No. P.C. 7 (2) 50-I, dated the 17th November 1951, of the Government of India, Ministry of Commerce and Industry under the Supply and Prices of Goods Act, 1950 (LXX of 1950) be republished in the *Mysore Gazette*, for general information.

By Order of His Highness the Maharaja,

N. PUTTARANGASWAMY,
*Secretary to Government,*
*Food and Agriculture Departments.*

GOVERNMENT OF INDIA.

### MINISTRY OF COMMERCE AND INDUSTRY.

NOTIFICATION

*New Delhi, the 17th November* 1951.

**No. PC. 7 (2) 50-I.**—In exercise of the powers conferred by section 4 of the Supply and Prices of Goods Act, 1950 (LXX of 1950), the Central Government, hereby directs that the following amendment shall be made in the notification of the Government of India in the Ministry of Commerce and Industry No. PC-7 (2)—50, dated the 13th July 1951 namely :—

In the heading in column 2 of the Schedule to the said Notification after the words "maximum price" the words "that may be charged by a producer or an importer" shall be inserted.

P. S. SUNDARAM,
*Under Secy. to the Govt. of India.*

# NOTIFICATION.

No. A.F. 8102—I. & S. 2-51-4, dated Bangalore, 6th December 1951.

The accompanying Notification No. S.R.O. 1007, dated 30th June 1951 of the Government of India, Ministry of Commerce and Industry, revising the prices of certain items of Iron and Steel Scrap is republished for general information of the public.

By Order of His Highness the Maharaja,

N. PUTTARANGASWAMY,
*Secretary to Government,*
*Food and Agriculture Departments.*

## GOVERNMENT OF INDIA.

## MINISTRY OF COMMERCE AND INDUSTRY.

### NOTIFICATION

*New Delhi, the 30th June 1951.*

**S.R.O. 1007**—The following Notification issued by the Iron and Steel Controller under clause 8 of the Iron and Steel (Scrap Control) Order, 1943, is published for general information :—

"NOTIFICATION.

In exercise of the powers conferred by sub-clause (1) of clause 8 of the Iron and Steel (Scrap Control) Order, 1943, and with the approval of the Central Government, the Iron and Steel Controller is pleased to notify the following amendment to the Government of India in the late Ministry of Industry and Supply Notification No. I (1)-I (196), dated the 5th February 1949, as amended from time to time, namely,—

For the existing 'Parts I and II' of the 'Schedule', the following shall be substituted :—

SCHEDULE.

PART I—A—*Defectives and Cuttings.*

| Item No. | Description or classification of materials | Maximum base prices per ton at Calcutta, Bombay and Madras. Col. I: For sales by controlled sources other than those mentioned in Col. II. | Col. II: For sales by scrap merchants who have been declared controlled sources. | Col. III: For sales by all persons other than those mentioned in Cols. I & II. |
|---|---|---|---|---|
| | | Rs. | Rs. | Rs. |
| 1 | Bars and Rods (Rounds and Squares below 3" and Flats up to and including 5" wide), Defective, Rejected and Non-Standard. Above 9' long for bars and above 8' long for rods. | 244 | 269 | 289 |
| 2 | Fishplates—Defective (for heavy or light rails), | 327 | 352 | 372 |
| 3 | Plates, Defective, Rejected and Non-Standard 3/8" and up thick. | 265 | 290 | 310 |

| Item No. | Description or classification of materials | Maximum base prices per ton at Calcutta, Bombay and Madras. Col. I: For sales by controlled sources other than those mentioned in Col. II | Col. II: For sales by scrap merchants who have been declared controlled sources. | Col. III: For sales by all persons other than those mentioned in Cols. I & II |
|---|---|---|---|---|
| | | Rs. | Rs. | Rs. |
| 4 | Plates Defective, Rejected and Non-Standard 1/8" thick, | 286 | 311 | 331 |
| 5 | Rails (excluding second class rails to specification T. II/28):— | | | |
| | Defectives 12' and up:— | | | |
| | (a) Light ... ... ... | 260 | 285 | 305 |
| | (b) Heavy ... ... ... | 235 | 260 | 280 |
| 6 | Semis—Defective (Ingots, Billets, Blooms, Slaps, etc., and cuttings thereof). | 195 | 220 | 240 |
| 7 | Sheets, Black Non-Standard, Defectives, Rejects and Cuttings over 18" wide 11/14 gauge. | 297 | 322 | 347 |
| 8 | Sheets, Galvanised Corrugated, Rejected, Defective and Spotted 24 gauge. | 526 | 551 | 576 |
| 9 | Sleepers, Steel Rejected unused ... ... | 250 | 275 | 295 |
| 10 | Sleeper Bars—Rejected 9' and above ... | 202 | 227 | 247 |
| 11 | Structurals including Bars (Rounds and Squares 3" and above and Flats above 5" wide), Defective, Rejected and Non-Standard over 9' long. | 235 | 260 | 280 |
| | *B—Industrial Scrap.* | | | |
| 1 | Axles (Railway Engine, Carriage and Wagon Axles) | 190 | 215 | 235 |
| 2 | Bars and Rods (Rounds and Squares below 3" and Flats up to and including 5" wide) cutting 2'/9' (for Bars) and 2'/8' (for Rods). | 240 | 265 | 285 |
| 3 | Bars and Rods (Rounds and Squares below 3" and Flats up to and including 5" wide) cuttings under 2' down to 1' long. | 200 | 225 | 245 |
| 4 | Bars and Rods (Rounds and Squares below 3" and Flats up to and including 5" wide) cuttings under 1' long. | 150 | 175 | 195 |
| 5 | Bars Octagonal (H. C.), Defectives and Cuttings over 2'. | 315 | 340 | 375 |
| 6 | Bars Octagonal (H. C.), Defectives and Cuttings 1' to 2'. | 265 | 290 | 325 |
| 7 | Bars, Spring, Steel, Defectives and Cuttings over 2' lengths. | 390 | 415 | 450 |
| 8 | Bars, Spring Steel, Cuttings 1' to 2' lengths ... | 240 | 265 | 300 |
| 9 | Bars, Spring Steel, Cuttings under 1' long ... | 190 | 215 | 250 |
| 10 | Dog Spikes—used—second hand ... ... | 155 | 180 | 200 |
| 11 | Draw Bars (Railway Engine and Carriage) with or without hooks. | 160 | 185 | 205 |
| 12 | Fencing Posts-punched—second hand, used, complete or broken, 2' long and over. | 100 | 125 | 145 |
| 13 | Hoops and thin Flats, defectives and second hand over 10' basis. | 250 | 275 | 295 |
| | 3/4"×20 gauge, below 19' in lengths, nominal ... | 470 | 495 | 545 |
| | 3/4"×18/19 gauge, below 19' in lengths, nominal .. | 435 | 460 | 510 |
| 14 | Hoops or Thin Flat cuttings 2' 10'. All widths and gauges (not exceeding 1/8" thick). | 250 | 275 | 295 |
| 15 | Hoops or thin flat cuttings below 2' and defective or second hand below 10' | 140 | 165 | 185 |
| 16 | Nails, Wire, Rejected, Defective and/or rusty, mixed gauges and/or sizes. | 490 | 515 | 565 |

| Item No. | Description or classification of materials | Maximum base prices per ton at Calcutta, Bombay and Madras | | |
|---|---|---|---|---|
| | | Col. I | Col. II | Col. III |
| | | For sales by controlled sources other than those mentioned in Col. II | For sales by scrap merchants who have been declared controlled sources | For sales by all persons other than those mentioned in Cols. I and II |
| | | Rs. | Rs. | Rs. |
| 17 | Plate cuttings (ends) and/or Strips straight sheared (5/16" and thicker and in widths above 10"). | 220 | 245 | 265 |
| 18 | Plate cuttings 5/16" and thicker and in widths up to 10" wide. | 210 | 235 | 255 |
| 19 | Plate cuttings (ends) and/or Strips straight sheared, 1/8" thick above 10" wide. | 245 | 270 | 290 |
| 20 | Plate sharp or cuttings 1/8" thick up to 10" wide ... | 235 | 260 | 280 |
| 21 | Plates—Chaquered ¼" and up ... ... | 250 | 275 | 295 |
| 22 | Plate (punchings for making Nuts, etc,) ... | 110 | 135 | 155 |
| 23 | Plates, Steamer-punched, all sizes ... | 190 | 215 | 235 |
| 24 | Plates shearings (resulting from fabrication work) 5'—6" and longer and mixed widths and thickness. | 170 | 195 | 215 |
| *25 | P.C.R.C.A. Strips—gauge 28 and thicker :— | | | |
| | (a) Over 6" ... ... | 275 | 300 | 330 |
| | (b) 3" to 6" wide ... ... | 210 | 235 | 265 |
| | (c) Under 3" ... ... | 160 | 185 | 215 |
| *26 | (a) P.C.R.C.A. Wasters—mixed gauges ... ... | 315 | 340 | 370 |
| | (b) Black Plate rejects—mixed gauges ... ... | 315 | 340 | 370 |
| 27 | Points and Crossings—steel ... ... | 160 | 185 | 205 |
| 28 | Rails (excluding second class Rails to specification T.II/28) :— | | | |
| | Cutting 2' to under 12'— | | | |
| | (a) Light ... ... | 220 | 245 | 265 |
| | (b) Heavy ... ... | 195 | 220 | 240 |
| 29 | Rail cuttings—Steel under 2'—(Light or Heavy)— ... ... | 140 | 165 | 185 |
| 30 | Rails—Wrought Iron—Used ... ... | 140 | 165 | 185 |
| 31 | Roll Spoils—All thickness and lengths — | 190 | 215 | 235 |
| 32 | Sheet cuttings, Black, Fishtails and clean cut mixed 6"/18" wide mostly 24 gauge. | 230 | 255 | 280 |
| 33 | Sheet cuttings, Black Fishtails and clean cut mixed 6"/24" wide, 13/18 gauge. | 230 | 255 | 280 |
| 34 | Sheet cuttings, Black Fishtails and clean cut mixed 6"/24" wide 19/22 gauge. | 245 | 270 | 295 |
| 35 | Sheet cuttings, Black Fishtails and clean cut mixed 6"/18" wide, 26 gauge. | 235 | 260 | 285 |
| 36 | Sheet cuttings, Black Fishtails and clean cut mixed 6"/24" wide, 28 gauge. | 260 | 285 | 310 |
| 37 | Sheet cuttings, Black Fishtails and clean cut mixed 6"/24" wide, 30 gauge. | 280 | 305 | 330 |
| 38 | Sheets—Black cuttings annealed, clean cut pieces 6" to under 18" wide. | 250 | 275 | 300 |
| 39 | Sheet Black cuttings 6" and up wide. All Fishtails, mixed gauges 10 to 26 gauge. | 195 | 220 | 245 |
| 40 | Sheets—Black cuttings 2" to under 6", 11/14 gauge ... | 150 | 175 | 200 |
| *41 | Sheets—Black Cuttings :— | | | |
| | (a) Thin Straight Sheared hand bundled mixed gauges 20/34, 4" wide and over. | 250 | 275 | 300 |
| | (b) Thick hand bundled mixed gauges 20/34, 2" wide and over. | 130 | 155 | 180 |
| 42 | Sheets, Galvanised Cuttings plain or Corrugated 16/24 gauge. | 325 | 350 | 375 |
| 43 | Sheets, Galvanised-used—damaged but re-utilisable, corrugated or plain mixed or unmixed. | 210 | 235 | 260 |

| Item No. | Description or Classification of materials | Maximum Base prices per ton at Calcutta, Bombay and Madras | | |
|---|---|---|---|---|
| | | Col. I | Col. II | Col. III |
| | | For sales by controlled sources other than those mentioned in Col. II | For sales by scrap merchants who have been declared controlled sources | For sales by all persons other than those mentioned in Cols. I and II |
| | | Rs. | Rs. | Rs. |
| 44 | Sleepers, Steel—Second hand (Used) ... | 160 | 185 | 205 |
| 45 | Sleeper Bars :— | | | |
| | (a) Cuttings 2' to below 9' ... ... | 170 | 195 | 215 |
| | (b) Cuttings below 2' ... ... | 125 | 150 | 170 |
| 46 | Spring Steel (Scrap) fur making swords, etc. ... | 215 | 240 | 275 |
| 47 | Structural cuttings 2'/9' long including those of Bars (Rounds and Squares 3" and above, and Flats above 5" wide ). | 225 | 250 | 270 |
| 48 | Structural cuttings under 2' long including cuttings of Bars (Rounds and Squares 3" and above and Flats above 5" wide). | 150 | 175 | 195 |
| *49 | Terneplate Strips—G. 28 and thicker :— | | | |
| | (a) Over 6" wide ... ... | 300 | 325 | 355 |
| | (b) 3" to 6" wide ... ... | 235 | 260 | 290 |
| | (c) Under 3" ... ... | 185 | 210 | 240 |
| 50 | Tie Bars—Punched—Second hand (Used) Full lengths or broken 1' long or over. | 110 | 135 | 155 |
| *51 | Tinplate Strips 28 gauge and thicker. In lots where :— Minimum width is / Maximum width is | | | |
| | (a) 6" ... ... ... | 505 | 530 | 560 |
| | (b) 3" ... ... 6" ... | 445 | 470 | 500 |
| | (c) 2" ... ... 3" ... | 495 | 520 | 550 |
| | (d) 1" ... ... 2" ... | 480 | 505 | 535 |
| | (e) ½" ... ... 1" ... | 465 | 490 | 520 |
| | (f) ½" ... ... ... ... | 435 | 460 | 490 |
| 52 | Tin Bar add Sheet Bar Crop Ends approx. 5/8", ½" and 3/8" thick, 2" to 6" wide. | 170 | 195 | 215 |
| 53 | Tyres—Scrap (with stud holes) maunsell ring fastenings. | 190 | 215 | 235 |
| 54 | Tyres (Wheel—railway Engine carriage) without stud holes. | 190 | 215 | 235 |
| 55 | Wire Defective and Short lengths specific gauges, basis 2.3 S.W.G. :— | | | |
| | (a) Hard Bright ... ... | 410 | 435 | 470 |
| | (b) Annealed ... ... | 450 | 475 | 510 |
| | (c) Galvanised (including Telegraph) ... | 560 | 585 | 620 |
| | (d) Barbed ... ... ... | 660 | 685 | 720 |
| 56 | Wire-Scrap and cuttings in mixed unsorted gauges :— | | | |
| | (a) Hard Bright ... ... | 410 | 435 | 470 |
| | (b) Annealed ... ... | 450 | 475 | 510 |
| | (c) Galvanised ... ... | 560 | 585 | 620 |
| 57 | Wire—Scrap Twisted bent and rusty, mixed or unmixed gauges :— | | | |
| | (a) Unannealed ... ... | 285 | 310 | 345 |
| | (b) Annealed ... ... | 310 | 335 | 370 |
| | (c) Galvanised ... ... | 405 | 430 | 465 |
| | (d) Barbed ... ... | 470 | 495 | 530 |
| 58 | Mild Steel Commercial quality melting scrap excluding borings and turnings and special quality low phosphorus melting scrap. | 60 | 60 | 60 |
| 59 | Fresh Borings and Turnings ... ... | The maximum price shall be Rs 10 per ton ex-site from all persons and sources including controlled sources and shall not be subject to any place extras. | | |

| Item No. | Description or classification of materials | Maximum base prices per ton at Calcutta, Bombay and Madras | | |
|---|---|---|---|---|
| | | Col. I | Col. II | Col. III |
| | | For sales by controlled sources other than those mentioned in Col II | For sales by scrap merchants who have been declared controlled sources. | For sales by all persons other than those mentioned in Cols. I and II |
| | | Rs. | Rs. | Rs. |
| 60 | Special quality Low Phosphorus Steel melting scrap with phosphorus content below ·035 per cent. | 95 | 95 | 95 |
| 61 | Special quality low Phosphorus Steel melting scrap with Phosphorus content ·035 per cent to under ·045 per cent. | 80 | 80 | 80 |
| 62 | Cast Iron Melting Scrap | | | |
| | Grade I ... ... ... | 70 | 70 | 70 |
| | Grade II ... ... ... | 48 | 48 | 48 |

*Gauge extras applicable to items 25, 26, 41, 49 and 51 (Tinplate Co.'s Specifications) for lots :—

| | | |
|---|---|---|
| 1 | Thinner than 28 gauge ... ... | Rs. 25 per ton. |
| 2 | 29 to 30 gauge ... ... | Rs. 30 per ton. |
| 3 | 31 to 32 gauge ... ... | Rs. 35 per ton. |
| 4 | 33 to 34 gauge ... ... | Rs. 45 per ton. |

PART II.—*Scrap for Re-rolling*

| Item No. | Description of materials or lot | Maximum prices per ton at Calcutta, Bombay and Madras |
|---|---|---|
| | | Rs. |
| 1 | Defective Semis including Sheet and Tin Bars and any other items accepted by Registered Producers as Semis for Re-rolling purposes. | 195 |
| 2 | Fresh re-rollable scrap from all sources including fresh steel rail cuttings and other scrap recovered from the process of fabricating new steel, but excluding roll-spoils. | 170 |
| 3 | Used Railway straight Axles ... ... ... | 170 |
| 4 | Used Steel Rails of all descriptions in re-rollable lengths including points and crossings. | 140 |
| 5 | Steel long-draw Bars (with or without Hooks) ... ... | 140 |
| 6 | Fresh Roll-Spoils 3/4" and thicker which are suitable for which the Controller considers should be used for re-rolling, lengths 5'—6" and up. | 170 |
| 7 | All other re-rollable scrap from any source including such scrap recovered from old fabrication, etc. which the Controller considers suitable or fit for re-rolling. | 130 |

The above amendments shall take effect from 1st July 1951.

M. K. POWVALA,
*Iron and Steel Controller.*"

[No. SC (A)-1 (196)]

C. R. NATESAN, Dy. Secy.